

LEDLIGHTS

Longer Life LED lamps have a 100,000 hour rated life, which results in lower long-term costs. While traditional incandescent lamps last 1-2 years before replacement is needed, LED lamps can have a life expectancy of up to 20 years.

Brighter Illumination LED lamps are brighter and illuminate faster with a lower current draw. Incandescent bulbs can lose up to 90% of their energy in light blocked by colored lenses; LEDs deliver 100% of their energy as colored light.

Greater Durability LED lamps are shock and vibration resistant. Most circuits are epoxy resin coated to resist moisture and corrosion. For added assurance, polycarbonate lenses and housings are sonically sealed.



4" Round LED Stop, Tail, Turn Lamps

- These low count LED lamps are manufactured with a high impact polycarbonate lens that is sonically sealed to housing.
- The super 10 LED provides superior illumination, lasting up to 100,000 hours.
- They are rated for 8-14 volts DC and are a cost effective retrofit for your current lighting.
- Female receptacles are grease filled and the connections are potted for longevity.
- Use standard 4" grommet and male pigtailed for mounting and connection.
- SAE and DOT rated.

Part No.	Description
YA24414R	LED, 4" Red, 10 diode
YA24414A	LED, 4" Amber, 10 diode



4" Round Steel Case LED Stop, Tail, Turn Lamp | YEAR

- This low count 12 diode LED lamp is manufactured with a high impact polycarbonate lens that is sonically sealed and encased within a powder-coated steel housing.
- The theft resistant lamp provides up to 100,000 hours of illumination and is rated for 8-14 volts DC.
- Wire leads are hard-wired directly into lamp for a weather resistant connection.
- SAE and DOT rated.

Part No.	Description
YA24417R	LED, 4" Red, 12 diode



4" Sealed LED Stop, Tail, Turn Lamp

- 100,000 hour rated life.
- High impact polycarbonate lens and housing sonically sealed.
- Wide spectrum illumination 5mm LED.
- Greased filled terminals.
- Uses standard male pigtail and grommet
- DOT and SAE rated.
- FMVSS 108 US / CMVSS 108 Canadian compliant.

Part No.	Description
YA24416R	Red LED Lamp, 40 diode, 4"
YA24416A	Amber LED Lamp, 40 diode, 4"





Oval LED Stop, Tail, Turn Lamps

- These low count LED lamps are manufactured with a high impact polycarbonate lens that is sonically sealed to housing.
- The super 10 LED provides superior illumination, lasting up to 100,000 hours.
- They are rated for 8-14 volts DC and are a cost effective retrofit for your current lighting.
- Female receptacles are grease filled and the connections are potted for longevity.
- Use a standard oval grommet and male pigtails for mounting and connection.
- SAE and DOT rated.

Part No.	Description
YA24419R	LED, Oval Red, 13 diode
YA24419A	LED, Oval Amber, 13 diode



Oval Sealed LED Stop, Tail, Turn Lamp

- 100,000 hour rated life.
- High impact polycarbonate lens for superior light distribution and visibility.
- Epoxy resin sealed electronics are moisture, corrosion and vibration proof.
- Grease filled terminals.
- Uses standard male pigtail, grommet , or bracket.
- DOT and SAE rated.
- FMVSS 108 US / CMVSS 108 Canadian compliant.

Part No.	Description
YA24402R	Red LED Lamp, 40 diode
YA24402A	Amber LED Lamp, 40 diode



Rectangle LED, Stop, Tail, Turn Lamp

- 100,000 hour rated life.
- Can be used as a marker lamp or rear tail lamp.
- High impact polycarbonate lens & housing sonically sealed.
- Moisture, vibration and corrosion proof.
- Uses standard 3-contact male pigtail and grommet.
- Meets DOT and SAE specifications.

Part No.	Description
YA24425R	Red LED Lamp, 56 diode
YA24425A	Amber LED Lamp, 56 diode



Pigtail Plugs

- 3-contact pigtails for use with standard stop, tail, turn lamps.
- Plugs are manufactured to replace existing pigtails or new installation.
- Both have a 11" of lead wire.
- Each includes the grounding wire pre-terminated with a ring terminal.

Part No.	Description
PM431-491	3-contact Plug

KATCO SERVICE PARTS INC.





2" & 2½" Sealed LED Clearance Marker Lamp

- 100,000 hour rated life.
- High impact polycarbonate lens and housing sonically sealed.
- Grease filled terminals.
- Uses standard male pigtail and grommet
- DOT and SAE rated.

Part No.	Description
YA24163R	Red LED Lamp, 13 diode 2½"
YA24163A	Amber LED Lamp, 13 diode 2½"
YA24164R	Red LED Lamp, 9 diode 2"
YA24164A	Amber LED Lamp, 9 diode 2"



2" & 2½" Sealed Beehive LED Clearance Marker Lamp

- 100,000 hour rated life
- Used as rear clearance marker lamps for trailers 30-ft or longer.
- High impact polycarbonate lens & housing sonically sealed.
- Uses 2-contact male pigtail and grommets
- Meets DOT and SAE specifications.

Part No.	Description
YA24166R	Red LED Beehive, 9 diode, 2"
YA24166A	Amber LED Beehive, 9 diode, 2"
YA24165R	Red LED Beehive, 13 diode, 2½"
YA24165A	Amber LED Beehive, 13 diode, 2½"



Rectangle LED Clearance Marker Lamps

- The acrylic, reflector lens of this lamp mounts over high impact plastic housing, using a stainless steel bezel.
- A popular choice found on Peterbilt® trucks, but can also be used to upgrade current cab marker lamp.
- The hard wired connections are sealed in epoxy for added weather resistance and shock absorption.
- Easily mounts with standard 4" center-to-center mounting holes.
- Rated for 8-14 volts DC and up to 100,000 hours of life.
- SAE and DOT rated.

Part No.	Description
YA24170R	LED, Rectangle Red, 12 diode
YA24170A	LED, Rectangle Amber, 12 diode






LED Clearance Marker Lamp — Scalloped

- 100,000 hour rated life.
- Epoxy resin sealed circuit board for corrosion and vibration resistance.
- Acrylic lens snap-seals onto ABS housing.
- 7" lead wire and self grounding.
- DOT, S.A.E. and PC rated.

Part No.	Description
YA24168R	Red LED Lamp, scalloped, 13 diode
YA24168A	Amber LED Lamp, scalloped 13 diode



Thin-line Sealed LED Clearance Marker Lamp

- 100,000 hour rated life.
- High impact polycarbonate lens and housing sonically sealed.
- Use pigtail and mounting bracket combo
- DOT, SAE and PC rated.

Part No.	Description
YA24161R	Red LED Lamp, 12 diode
YA24161A	Amber LED Lamp, 12 diode



Mini LED Clearance Marker Lamp

- 100,000 hour rated life.
- Used as an identification marker lamp when space is limited.
- High impact, polycarbonate housing with acrylic lens.
- Uses standard 2-contact male pigtail and bracket
- Meets DOT and SAE specifications.

Part No.	Description
YA24162R	Red, LED Lamp, 1 diode
YA24162A	Amber, LED Lamp, 1 diode



4" Round LED White Backup Lamp

- A high count, white, LED diode lamp that is durable and affordable.
- The polycarbonate lens is sonically sealed to housing.
- A direct replacement for the standard 4" incandescent lamp; can also be used as a back-up light or auxiliary lighting.
- Female receptacle is grease filled and potted for resistance to corrosion.
- Uses standard 4" grommet and male pigtails
- Rated to 8-14 volts DC and up to 100,000 hours of life. SAE and DOT rated.

Part No.	Description
VSM4464W	LED, 4" Crystal, 19 diode

KATCO SERVICE PARTS INC.



INCANDESCENT LIGHTS

Several styles of DOT-certified truck and trailer lamps, lamp accessories, reflectors and replacement mirrors are offered. These products are heavily used in the trucking industry, but can be used by construction equipment and farm implement original equipment manufacturers.

Resistant to shock, vibration, heat, moisture and corrosion, these lighting products provide a lifetime of trouble-free performance.



4" Sealed Stop, Tail, Turn Lamp

- Hermetically sealed lamp.
- Rugged, safe construction able to absorb vibration & road shock.
- Uses all standard 3-contact male pigtail connectors
- Grease filled terminals to prevent corrosion.

Part No.	Description
PM426R	Red Lamp, 4"
PM426A	Amber Lamp, 4"



Oval Stop, Tail, Turn Lamps

- Hermetically sealed polycarbonate housing & lens to resist moisture.
- Compatible with competitive components.
- Uses standard 3-contact male pigtail connector
- Grease filled terminals to prevent corrosion.

Part No.	Description
PM421R	Red Lamp, oval
PM421A	Amber Lamp, oval



Steel Base Stop, Tail, Turn Lamp — Economy Steel Lamp

- Durable black steel construction.
- Easily mountable.
- Manufactured with an acrylic snap-on style lens.
- Pre-wired for fast and easy installation.

Part No.	Description
PM413	Red Lamp, 4"



Universal 3-stud Mount Lamp

- Mounted on back of truck for tail lamp applications.
- High impact, polycarbonate housing with acrylic lens.
- Triangle, three-stud mounting pattern.
- Bulb: 2057 for stop and tail; 1156 for reverse light.

Part No.	Description
PM445	Red, Universal 3-stud Mount Lamp



2" & 2½" Sealed Clearance Marker Lamp



- Constructed to fit all popular standard grommet & bracket mounting systems.
- Hermetically sealed housing and polycarbonate lens.
- Uses all standard two contact male pigtail connectors
- Grease filled terminals to prevent corrosion.
- 2" Lamp fits in smaller places where 2½" will not fit.

Part No.	Description
PM142R	Red Lamp, 2½"
PM142A	Amber Lamp, 2½"
PM146R	Amber Lamp, 2"
PM146A	Red Lamp, 2"



Sealed Side Marker & Turn Signal Lamp

- Placed at mid-trailer for turn signal or rear vehicle applications.
- Shock resistant design for bulb longevity.
- High impact polycarbonate lens and housing sonically sealed.
- Uses standard oval grommet and 3-contact male pigtail
- Meets DOT and SAE AEP2 specifications.

Part No.	Description
PM352R	Red, Marker Lamp
PM352A	Amber, Marker Lamp

Pigtail Plugs

- Choose from a variety of pigtail plugs to hook-up your single or dual function lamps.
- Each includes the grounding wire pre-terminated with a ring terminal.
- The in-line features 6.5" of lead wire, while the others feature 11" of lead wire.



Part No.	Description
PM142-49	2-contact Plug

Pigtail Plugs

- 3-contact pigtails for use with standard stop, tail, turn lamps.
- Plugs are manufactured to replace existing pigtails or new installation.
- Both have a 11" of lead wire.
- Each includes the grounding wire pre-terminated with a ring terminal.



Part No.	Description
PM431-491	3-contact Plug

KATCO SERVICE PARTS INC.





2 Bulb Clearance Marker Lamp — Scalloped

- Manufactured with a scalloped-style lens.
- Lamp is constructed of acrylic lens that snap-seals into the ABS housing.
- Lamp includes pre-attached corrosion-resistant pigtails.
- Socket construction prolongs bulb life.

Part No.	Description
PM138A	Amber Lamp, Scalloped
PM138R	Red Lamp, Scalloped



2 Bulb Clearance Marker Lamp — Oval

- Lamp is constructed of a Duramold plastic housing with snap-on lens.
- Lamp includes pre-attached corrosion-resistant pigtails.
- Socket construction prolongs bulb life.

Part No.	Description
PM135A	Amber Lamp, Oval, 2 bulb
PM135R	Red Lamp, Oval, 2 bulb



Clearance Marker Lamps — Rectangle

- The polycarbonate lens of this lamp is sonically sealed to high impact housing.
- The dual #193 bulbs are sealed in epoxy for added weather and shock resistance.
- Thin construction allows for installation in a variety of places where space is a concern.
- Easily mounts using a standard pigtail and bracket combination
- Rated for 8-14 volts DC.
- SAE, DOT and PC rated.

Part No.	Description
PM154R	Red, Thin-line
PM154A	Amber, Thin-line



Clearance Marker Lamps — Rectangular

- Manufactured with shock absorbing body and designed to resist corrosion.
- Includes built-in reflective lens and lead wire.
- One stud mounting for easy installation.

Part No.	Description
PMV114R	Red Marker Lamp, Rectangle
PMV114A	Amber Marker Lamp, Rectangle





Clearance Marker Lamps — Steel Armored

- Manufactured with a steel housing.
- Equipped with a rubber gasket to ensure proper seal.
- Flat back design enables you to mount without disassembly.
- Also available in Blue & Green

Part No.	Description
PM119R	Red Lamp
PM119A	Amber Lamp



Clearance Marker Lamps — Bar Style

- Mounted on rear of trailers to indicate the presence of wide vehicle.
- Mounted 6" on center.
- Meets DOT and SAE P2, P3 specifications.

Part No.	Description
PM104-3R	Low profile, 2½" Clearance Marker
PM104-3A	Narrow, trim-line Clearance Marker
PM104-3R	Narrow, trim-line Clearance Marker



Square Submersible Boat Trailer Lamps

- Built-in Class "A" reflectors on rear and side lenses.
- Popular square design.
- Designed and manufactured for durability and strength.

Part No.	Description
PM441LW	Submersible Trailer Lamp w/License Window
PM441	Submersible Trailer Lamp



Square Stop, Tail, Turn Lamps

- Built-in Class "A" reflectors on both rear and side lenses.
- Easy insertion points for wire, eliminating need for pigtail connectors.
- Easy installation with 2-stud mounting.

Part No.	Description
PM440	Stop, Tail, Turn Lamp w/Side Marker
PM440L	Stop, Tail, Turn Lamp w/Side Marker & License Window

KATCO SERVICE PARTS INC.





3" Stick-on Round Reflectors

- Adhesive backing effortlessly mounts to any flat surface for permanent usage.

Part No.	Description
PM475R	Red Reflector
PM475A	Amber Reflector



3¼" Center Mount Reflectors

- Hermetically sealed center mount reflector.
- Mounts quickly with a #10 screw (not included).

Part No.	Description
PM476R	Red Reflector, 3¼"
PM476A	Amber Reflector, 3¼"



4¾" Stick-on Rectangle Reflectors

- Versatile mounting option lets you apply the reflector with either the adhesive backing or mounting holes.
- Mounting holes require #8 screws (not included).

Part No.	Description
PM487R	Red Reflector
PM487A	Amber Reflector



3M Scotchlite™ Reflective Tape

- Red/white conspicuous tape is designed to mark the side and rear perimeter of trucks and trailers for enhanced visibility and detection.
- 100% plastic, non-corrosive and edge sealed.
- Alternates 11" red and 7" white, also available in alternating 6" red and 6" white (ideal to sell by the foot, one red and one white = 1-ft).
- Certified to meet the NHTSA standards.

Part No.	Description	Size
3M985-32ES	Red/White Reflective Tape	Bulk Roll- 2" x 150-ft (alternates 6" red, 6" white)



A National Highway Traffic Safety Administration (NHTSA) federal rule effective December 1, 1993 requires new truck trailers to be marked with highly reflective conspicuity material on the trailers sides and rear. Although this new visibility standard does not apply to trailers currently in use or those manufactured prior to 12/1/93 many fleet owners will want to retrofit their trailers. More than ¾ of heavy-vehicle rear-end fatalities occur at night. Liability claims are 35% higher for night time accidents. The average car into truck accident damages total \$265,000. Drivers rely on what they can see, and reflectorized tape provides faster, more accurate decision-making by providing better visual information.





4" Sealed Reverse Lamp

- Hermetically sealed lamp.
- Rugged, safe construction able to absorb vibration and road shock.
- Uses all standard three contact male pigtail connectors
- Grease filled terminals to prevent corrosion.

Part No.	Description
PM415	Crystal Lamp, 4"



Oval Reverse Lamp

- Hermetically sealed housing and lens to resist moisture.
- Compatible with competitive components.
- Uses standard 3-contact male pigtail connector
- Grease filled terminals to prevent corrosion.

Part No.	Description
PM416	Crystal Lamp, Oval



2" & 2½" Sealed Clearance Marker Lamp

- Constructed to fit all popular standard grommet and bracket mounting systems.
- Hermetically sealed housing and lens.
- Uses all standard two contact male pigtail connectors
- Grease filled terminals to prevent corrosion.
- 2" Lamp fits in smaller places where 2½" will not fit.

Part No.	Description
PM142C	Crystal Lamp, 2½"
PM146C	Crystal Lamp, 2"




Rubber Tractor Light

- All-purpose Par 36 sealed beam tractor with rubber-coated housing.
- Shock absorbing body provides protection.
- 12 volt, sealed beam #4411 light.
- Unit is mounted on swivel base bracket.

Part No.	Description
PM508	Tractor Light

KATCO SERVICE PARTS INC.





Rectangle License Lamp

- Hermetically sealed two-bulb design.
- Direct replacement for competitive units.

Part No.	Description
PM154C	License Lamp



License Illuminator

- Chrome-plated steel construction and flat mounting bracket provide shock-proof durability.
- Equipped with a clear lens.
- Can be used for various applications.

Part No.	Description
PM435	License Illuminator



Chrome License Plate Lamp

- For illumination of license plate.
- Metal base mount with a chrome plastic housing.
- Meets DOT and SAE specifications.

Part No.	Description
PM436SX	Chrome License Plate Lamp



License/Utility Light

- Fits GM/GMC truck with step bumper.
- Bulb: 67
- 12 volt DC.

Part No.	Description
PM394C	License/Utility Light





Back-up Alarms

- Heavy-duty steel housing construction for tough applications.
- Compact design.
- Includes universal mounting brackets for maximum location options.
- Alarms are covered by a 2 year warranty.

Part No.	Description	dB	volts	SAE type
PR1020	Self-adjusting, heavy-duty back-up Alarm	70-102dB	12-24V	B-D
PR240	Light-duty back-up Alarm	97dB	12V	C



Back-up Switches

- Designed and manufactured for vehicles not equipped with back-up circuits.
- Item #9130 has 360° movement and is selectable to normally open or normally closed.
- Single pole, double throw (S.P.D.T.).
- Both are covered by a full 1 year warranty.

Part No.	Description
CH8486	Light-duty back-up Alarm Switch
PRHDS54/SS	Heavy-duty back-up Alarm Switch



SAE J1318 STROBE RATING

CLASS I- Primary warning lamps for authorized emergency vehicles. Four times brighter than CLASS II. Ten times brighter than CLASS III.

CLASS II- Primary warning lamps for authorized maintenance vehicle.

CLASS III- Primary warning lamps for vehicles that are authorized to display warning lamps.



Medium Profile Beacon

- This economical and compact strobe (5.5" x 2.8") operates as a single flash, producing 1.5 joules.
- An integral flange allows for flush or 1" pipe mounting and is pre-wired for ease of installation.
- The polycarbonate lens illuminates 360° and nylon base provides vibration protection.
- It is designed to meet UL 583 for class E, ES and EE industrial trucks and meets SAE J1455, J1318 and is CE certified.
- Reverse polarity and voltage transient protected.

Part No.	Description	Joules	volts	FPM
PR3950	Medium Profile Beacon	1.5	12-80V	85 ± 15



Low Profile Beacon, Permanent & Magnet Mount

- An economical, light-duty strobe (3.9" x 5.1") that features a field replaceable bulb that requires no tools.
- This strobe covers all low intensity applications while operating at 12-80 VDC and 70 FPM producing 1.5 joules.
- A UV stabilized polycarbonate lens with a nylon base provides vibration resistance.
- Designed to meet SAE 1455 (transient protection), J1318 (vibration and corrosion resistance) and tested to UL 583 safety standard for type E, ES and EE for industrial trucks.
- Reverse polarity and voltage transient protected.
- Magnet mount includes a 15-ft straight cord with 12V lighter attachment.



Part No.	Description	Joules	volts	FPM
PR3318	Low Profile Beacon	1.5	12-80V	70 ± 15
PRMK3318	Low Profile Beacon, mag mnt	1.5	12-80V	70 ± 15



Auxiliary 12 Volt Lighter Socket

- Lighter plugs with protective snap-on cover.
- Standard .250" push-on terminals for wire connection.
- 1.100" mounting hole.

Part No.	Description
DC73549	Auxiliary 12 Volt Lighter Socket





Medium-duty Beacon, Permanent & Magnet Mount

- Designed to meet most side-of-the-road warning applications, this low profile beacon (4.9" x 6.5", & 6.7" x 6.5") produces either double or quad flash.
- Integral nylon base allows for flush or 1" pipe mounting and resists vibration.
- The UV stabilized, polycarbonate lens can be removed without the use of tools to make bulb replacement a snap.
- AMECA certified to meet SAE J1318 Class 2 and conforms to CE requirements.
- Vacuum magnet mount includes a 15-ft straight cord with 12V lighter attachment.
- Reverse polarity and voltage transient protected.

Part No.	Description	Joules	volts	FPM
PR4242	dbble/quad beacon	7/10	12-48V	80/65
PR4262	med profile dbble/quad beacon	7/10	12-48V	80/65



15" Rotating Minibar, Permanent & Magnet Mount

- The rotating minibar (4.48" x 14.75" x 8.27") is a compact, single flash, 15" minibar that is available in either permanent or vacuum mount (rated to 65 MPH).
- It features a UV and heat resistant silicon belt with stainless steel bearings for smooth and quiet operation.
- Also incorporated into the efficient design are two 55-watt halogen bulbs that produce 480 flashes per minute.
- It meets SAE J845 Class 1 output.
- Vacuum mount includes a 15-ft straight cord with 12V lighter attachment for 12V plug.

Part No.	Description	volts	RPM	FPM
PR5211	15" minibar	12V	160	480
PR5211A	15" minibar vac mag	12V	160	480



22" Rotating Minibar

- A high visibility warning light available at an economical price.
- An EM/RFI noise suppression helps reduce the sound of the heavy-duty, self-lubricating gear-drive rotator.
- The rugged aluminum base and polycarbonate lens houses two rotating 50-watt halogen bulbs with a fixed center mirror.
- Meets SAE J845 Class 1.

Part No.	Description	volts	RPM	FPM
DC10055	22" Rotating Minibar	12V	—	400

KATCO SERVICE PARTS INC.





8" Round Convex Mirror

- Convex 8" mirror is manufactured with a stainless steel housing.
- Equipped with a center mount 1/4" adjustable ball stud for easy assembly.

Part No.	Description
DC8650	Convex Round Mirror



2" Rubber Grommet for Clearance Marker Lamps

- This round rubber grommet is manufactured to fit standard 2" LED and incandescent clearance marker lamps.
- New grommets restore shock protection, security and improve vehicle appearance.

Part No.	Description
PM146-18	2" Round Rubber Grommet



2 1/2" Rubber Grommet for Clearance Marker Lamps

- This round rubber grommet is manufactured to fit standard 2 1/2" LED and incandescent clearance marker lamps.
- New grommets restore shock protection, security and improve vehicle appearance.

Part No.	Description
PM142-18	2 1/2" Round Rubber Grommet



4" Rubber Grommet for Stop, Tail, Turn Lamps

- This round rubber grommet is manufactured to fit standard 4" LED and incandescent stop, tail, turn lamps.
- New grommets restore shock protection, security and improve vehicle appearance.

Part No.	Description
PM426-18	4" Round Rubber Grommet



Oval Rubber Grommet

- Grommet is manufactured to fit standard oval LED and incandescent stop, tail, turn lamps.
- New grommets help restore shock protection, security and improve vehicle appearance.

Part No.	Description
PM421-18	Rubber Grommet for Oval Light





Thin-line Chrome Mounting Bracket

- Snap-in lamp design allows for quick installation.
- Mates with Thin Line LED clearance marker lamps
- Includes female pigtail with 6" lead wire.

Part No.	Description
PM154-10K	Mounting Bracket, chrome



Mini Rectangular Chrome Mounting Bracket

- Clearance marker lamp brackets.

Part No.	Description
PM150-102	Mini Chrome Mounting Bracket



Single Contact

- Pigtail wire assembly with terminal attached.
- Socket No. 3432, 3433, 3452, 3453, 3460, 3461, 3463, 3470, 3471.
- Lamp No. 63, 67, 81, 89, 93, 209, 1003, 1073, 1129, 1133, 1141, 1156.
- SMP: S-23; Wells: 201; Borg: PT5, Nieh: LS-102

Part No.	Description
700B	Single Contact



Double Contact

- Pigtail wire assembly with terminals attached.
- Socket Nos. 3422, 3430, 3434,3435, 3436.
- Lamp Nos. 64, 68, 82, 88, 90, 94, 210, 1004, 1034, 1074, 1130, 1154, 1157, 1158, 1175.
- SMP: S-24; Well: 200; Borg: PT7, Nieh: LS-150.

Part No.	Description
701B	Double Contact



Injector Solenoid Connector

- EV1 style connector.
- Fits multi-port injectors GM 1711799 1993-86 (replaces GM 12085491).
- Bosch & Lucas Injectors on Chrysler, Ford products, AMC/Jeep, Datsun/Nissan, Porsche, Toyota, VW and Volvo.

Part No.	Description
DC73522	Injector Solenoid Connector

KATCO SERVICE PARTS INC.





Halogen Bulbs

- Halogen lights are one of the most widely used illumination devices for forward lighting in recent models for the transportation industry.
- They offer longer life (2 to 3 times as long as an incandescent bulb) and better efficiency (10% to 20% more efficient).
- These halogen lights are offered in two different styles, a single and dual filament.
- The single filament is designed specifically for either the high or low beam while the dual filament functions as both.

Part No.	Description
9005	Halogen Capsule, HI Beam
9006	Halogen Capsule, LO Beam
9007	Halogen Capsule, HI-LO Beam



Halogen- High/Low Beam

- For automotive head lamp applications.
- 65/45 Watt, 12 volts.
- Average life (hours):150/320.
- 1 per box.

Part No.	Description
9004	Halogen - High/Low Beam



Halogen Bulb

- For automotive, motorcycle and auxiliary lighting.
- 55 Watt, 12 volts.
- 12 volts average life (hours): 225.
- H3 bulb.
- 1 per box.

Part No.	Description
H3-55W	Halogen Bulb



Clear Auto Bulb - DC Index Bulb

- 12.8 volts, 2.10 amp.
- Filament shape C-6.
- Average life (hours): 600.
- 10 per box.

Part No.	Description
1157	Clear Auto Bulb - DC Index Bulb

